	UNIFORM HAZARDOUS		Do	Manifest cument No.	2. Pa	INIOER	ation in the	
3	WASTE MANIFEST  Generator's Name and Mailing Addres	<b>C</b>   A   D  /Ψ   Β   κ	)   5   1   4 # # # <u> </u>	1 4 4		f is not Manifest Docu	required by	
	Douglas Aircraft Com		894	793	78			
	19503 S. Normandie A					Generator's ID		e i é i a i
5.	Generator's Phone ( 213 533-7 Transporter 1 Company Name	(926 or 213-533 6.	-/23  US EPA ID Number			A   H   O   3   6 e Transporter's I		2 9 c
	JCI Environmental Se	ervices 10	460/0/5/8/0/1/8	3 3 6 7	and the second	sporter's Phone	213-7	268431
7.	Transporter 2 Company Name	1997   1	US EPA ID Number	TOTAL	100	a Transporter's I sporter's Phone	υ	
9.	Designated Facility Name and Site Ad		US EPA ID Number		. P10330000000000000000000000000000000000	e Facility's ID	n n 11	מ ז ב
	Ghem-Tech Systems, 1 3650 E. 26th Street	inc.			H. Facil	4/1046 Ity's Phone	1012	7011
	Vernon, CA 90023		ATT10181010131			3-268-339	157	
11	1. US DOT Description (Including Prope	r Shipping Name, Hazard Cla	ss, and ID Number)	12. Cont	Type	13. Total Quantity	14. Unit Wt/Vol	Was
a.							200	State 702
	RQ, Waste, Corrosive Corrosive Material,			0 <sub>1</sub> 0 <sub>1</sub> 1	T.T	(MOIA) I	1 G 1	PAZOThei DOO2,
Б.		0.0700 (00027		1010		0200	100	State
					<b>\</b> .		h	EPA/Othei
c.								State
		마이 기계 발견 및 기계 되었다. 1일 기계 및 기계						EPA/Other
d.								State
								EPA/Othe
L	Additional Descriptions for Materials L	isted Above		11	K Han	dling Codes for		1
	a) Tank 6703 - Alumin				8.	15	b.	
	Sulfuric acid 10-1				0.		d.	
	Sodium dichromate	U-0%		Water I				
	<ol><li>Special Handling Instructions and Add</li></ol>			100 nu				
0.00	71 a a							
	In case of accident of	atarway it lina	CHIAN WENTER			30.101, 4.00.		G111G 1.
	wash into te wash of the	gency Response	duite # ou.		to the first terms of the		, <b>/</b> .	
	wash into sewer or wash into sewer or washington washington with the washington washingt	hereby declare that the con	tents of this consignment a	e fully and a	ccurately	described above	by proper	shipping (
	wash into sewer or wash into sewer or wash approximate. Dot emera.  B.  GENERATOR'S CERTIFICATION: I and are classified, packed, marked, national government regulations.	hereby declare that the con and labeled, and are in all re	tents of this consignment a espects in proper condition	re fully and a for transport	by highwa	ly according to a	ippficable ii	nternation
	wash into sewer or washington and are classified, packed, marked, national government regulations.  If I am a large quantity generator, I come aconomically practicable and to be aconomically practicable and the aconomical practicable and the a	hereby declare that the con and labeled, and are in all re- ertify that I have a program that I have selected the pre-	tents of this consignment an espects in proper condition in place to reduce the volun ticable method of treatment	re fully and a for transport ne and toxicit storage, or	by highway y of wast disposal	e generated to to currently availab	ne degree l	have dete
16	wash into sewer or we approximate. Dot emer approximate. Dot emer and are classified, packed, marked, national government regulations. If I am a large quantity generator, I or to be economically practicable and present and future threat to human it generation and select the best wast	hereby declare that the con and labeled, and are in all re- ertify that I have a program that I have selected the prac- tealth and the environment;	tents of this consignment at espects in proper condition in place to reduce the volun ticable method of treatment DR, if I am a small quantity s available to me and that I	re fully and a for transport ne and toxicit , storage, or generator, I i	by highway y of wast disposal	e generated to to currently availab	ne degree l	have dete lich minimi mize my w
le Pr	wash into sewer or we approximate. Dot Emer approximate. Dot Emer and are classified, packed, marked, national government regulations.  If I am a large quantity generator, I can be economically practicable and appresent and future threat to human be generation and select the best wast rinted/Typed Name	hereby declare that the con and labeled, and are in all re- ertify that I have a program that I have selected the prac- nealth and the environment; e management method that	tents of this consignment at spects in proper condition in place to reduce the volun ticable method of treatment OR, if I am a small quantity	re fully and a for transport ne and toxicit , storage, or generator, I i	by highway y of wast disposal	e generated to to currently availab	ne degree l	have dete
le Pr	wash into sewer or we approximate. Dut Emer 6.  GENERATOR'S CERTIFICATION: I and are classified, packed, marked, national government regulations.  If I am a large quantity generator, I c to be economically practicable and in present and future threat to human in generation and select the best wast rinted/Typed Name	hereby declare that the con and labeled, and are in all resertify that I have a program that I have selected the prachath and the environment; e management method that	tents of this consignment at espects in proper condition in place to reduce the volun ticable method of treatment DR, if I am a small quantity s available to me and that I	re fully and a for transport ne and toxicit , storage, or generator, I i	by highway y of wast disposal	e generated to to currently availab	ne degree l	have dete lich minimi mize my w
16 Pr	wash into sewer or wash approximate. Dut emer and are classified, packed, marked, national government regulations.  If I am a large quantity generator, I compresent and future threat to human a generation and select the best wast rinted/Typed Name  Robert G. 72	hereby declare that the con and labeled, and are in all resertify that I have a program that I have selected the prachath and the environment; e management method that	tents of this consignment at espects in proper condition in place to reduce the volun ticable method of treatment DR, if I am a small quantity s available to me and that I	re fully and a for transport ne and toxicit , storage, or generator, I i	by highway y of wast disposal	e generated to to currently availab	ne degree l	have det lich minim nize my w
16 Pr	wash into sewer or wash approximate. Dot emer and are classified, packed, marked, national government regulations. If I am a large quantity generator, I on the economically practicable and present and future threat to human generation and select the best wast rinted/Typed Name	hereby declare that the con and labeled, and are in all referring that I have a program that I have selected the prachealth and the environment; e management method that	tents of this consignment at spects in proper condition in place to reduce the volunticable method of treatment DR, if I am a small quantity is available to me and that I Signature	re fully and a for transport ne and toxicit , storage, or generator, I i	by highway y of wast disposal	e generated to to currently availab	ne degree l	have dete lich minimi mize my w
16	GENERATOR'S CERTIFICATION: and are classified, packed, marked, national government regulations. If I am a large quantity generator, I cto be economically practicable and present and future threat to human be generation and select the best wast rinted/Typed Name  Robert G. T. Transporter 1 Acknowledgement of Frinted/Typed Name	hereby declare that the con and labeled, and are in all referring that I have a program that I have selected the prachealth and the environment; e management method that	tents of this consignment at spects in proper condition in place to reduce the volunticable method of treatment DR, if I am a small quantity is available to me and that I Signature	re fully and a for transport ne and toxicit , storage, or generator, I i	by highway y of wast disposal	e generated to to currently availab	ne degree l	have detailed minimize my w
16 Pr 17 Pr 18 Pr	GENERATOR'S CERTIFICATION: I and are classified, packed, marked, national government regulations. If I am a large quantity generator, I cto be economically practicable and in present and future threat to human in generation and select the best wast rinted/Typed Name    Colored   Colore	hereby declare that the con and labeled, and are in all referring that I have a program that I have selected the prachealth and the environment; e management method that	tents of this consignment at aspects in proper condition in place to reduce the volunticable method of treatment DR, if I am a small quantity is available to me and that I Signature	re fully and a for transport ne and toxicit , storage, or generator, I i	by highway y of wast disposal	e generated to to currently availab	ne degree l	have de lich minimize my Month
16 Pr 17 Pr 18 Pr	GENERATOR'S CERTIFICATION: and are classified, packed, marked, national government regulations. If I am a large quantity generator, I c to be economically practicable and present and future threat to human regeneration and select the best wast rinted/Typed Name  Cobert Transporter 1 Acknowledgement of Frinted/Typed Name  Barransporter 2 Acknowledgement of Frinted/Typed Name	hereby declare that the con and labeled, and are in all referring that I have a program that I have selected the prachealth and the environment; e management method that	tents of this consignment at aspects in proper condition in place to reduce the volunticable method of treatment DR, if I am a small quantity is available to me and that I Signature	re fully and a for transport ne and toxicit , storage, or generator, I i	by highway y of wast disposal	e generated to to currently availab	ne degree l	have detailed minimize my w
16 Pr Pr 18 Pr 19 19	GENERATOR'S CERTIFICATION: and are classified, packed, marked, national government regulations. If I am a large quantity generator, I c to be economically practicable and in present and future threat to human in generation and select the best wast rinted/Typed Name  Cobert  7. Transporter 1 Acknowledgement of Frinted/Typed Name  8. Transporter 2 Acknowledgement of Frinted/Typed Name  9. Discrepancy Indication Space	hereby declare that the con and labeled, and are in all referring that I have a program that I have selected the prachealth and the environment; e management method that it is compared to the process of the process o	tents of this consignment at spects in proper condition in place to reduce the volunticable method of treatment DR, if I am a small quantity is available to me and that I signature	re fully and erfor transport ne and toxicit , storage, or generator, I i can afford.	by highway y of wast disposal ave made	e generated to to currently available a good faith of	ne degree l	have detailed minimize my w
16 Pr 17 Pr 18 Pr 19 19 20	Wash into sewer or wash approximate. Dot emer and are classified, packed, marked, national government regulations. If I am a large quantity generator, I on to be economically practicable and present and future threat to human generation and select the best wast rinted/Typed Name    Doert G. T.	hereby declare that the con and labeled, and are in all referring that I have a program that I have selected the prachealth and the environment; e management method that it is compared to the process of the process o	tents of this consignment at spects in proper condition in place to reduce the volunticable method of treatment on, if I am a small quantity is available to me and that I signature  Signature  Signature	re fully and erfor transport ne and toxicit , storage, or generator, I i can afford.	by highway y of wast disposal have made	e generated to to currently available a good faith of	ne degree l	have determined in the minimizer my with the minimizer my will be minimiz

## CERTIFICATE OF TREATMENT/RECYCLING

ISSUED TO

DOUGLAS ATRCRAFT COMPANY

MANIFEST NUMBER 89479378

DATE RECEIVED MARCH 29, 1991

The aqueous waste received on the above manifest will be treated to standards mandated by the FEDERAL CLEAN WATER ACT and to effluent requirements established by the Sanitation Destructs of Los Angeles County. Waste treatment and recycling is performed under permits granted to CHEM-TECH STOPPINS, INC. a California corporation, by the California Department of Health Services, in coordination with the Environmental Protection Agency, in accordance with the provisions of the Resource Conservation and Recovery Act (RCRA) of 1976, together with applicable federal and state regulations including but not limited to waste discharge requirements established by the Sanitation Instructs of Lord Angeles County.

When the above described material is accepted by CHEM TECH SYSTEMS, INC. and treated/recycled and the aqueous phase discharged for further treatment by the Sanitation Districts, the certificate holder's responsibility for the material is eliminated under both RCRA and Proposition 65. Upon request, CHEM-TECH SYSTEMS, INC. will take this certificate that all material bas been bandled in accordance with applicable permits, and the certificate bolder's liability has been terminated



MARCH 29, 1991

PLANT MAN

3650 EAST 26th STREET • VERNON, CALIFORNIA 90023 (213) 268-5056 • FAX: (213) 268-9672

WASTE MANIFEST CALD 0 8 6 5 1 0 8 6 3	ocument No	Į -	Page 1		1	ne shaded areas
Generator's Name and Mailing Address	1 4 4	A. Sta	of ]   ite Manifest			by Federal law. ber
Douglas Aircraft Company Attn: R. Tuell M/S Co	i <del>-</del> 10			94	793	378
19503 S. Normandie Avenue, Torrance, CA 90502			ite Generate			
Generator's Phone ( 213 533-7925 or 213-533-7231 Transporter 1 Company Name 6. US EPA ID Numbe	e <b>r</b>		A H Q			5 6 9 8
JCI Environmental Services  C A D 0 5 8 0 1		Charl Rend	nsporter's l	(Tri Smillion)	2/3-	2687 931
. Transporter 2 Company Name 8. US EPA ID Numbe	er i i i i	S.X.Z. 144.13	te Transpoi	100 V 200		
Designated Facility Name and Site Address 10. US EPA ID Numbe		05222622	nsporter's l ite Facility's	Cyclin Cons		
Chem-Tech Systems, Inc. 3650 E. 26th Street			 		<u>    1</u>	
Vernon, CA 90023			3-268			
US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Cont No.	Type	13. Tot Qua	al ntity	14. Unit Wt/Vol	u. Waste No.
RQ, Waste, Corrosive Liquid, N.O.S. (Sulfuric accorrosive Material, UN1760 (D002) (D007)	:14) 0 <sub>1</sub> 0 <sub>1</sub> 1	TIT	020	مراحما	Ğ	792 FPA/Other D007
		•				State
						EPA/Other
		a I		<u> </u>		State
면 보다 가는 것이 되었다. 그는 사람들이 되고 있는 것이 되었다. "이 되어 있는 것이 되는 것이 되는 것이 되었다"는 것이 되었다.						EPA/Other
				1 1		State
얼마, 맛, 하면 얼마얼마나 하는 얼마를 하면 되는 말이 되는						EPA/Other
Additional Descriptions for Materials Listed Above		K D-	ndling Code	9 for 14	laster I	sted Above
a) Tank 6703 - Aluminum Etch						1.14
Sulfuric acid 10-20% Sodium dichromate 0-5% Water 75-100%		C.			d.	12.00
Socium dichromate 0-5%  Water 75-100%  5. Special Handling Instructions and Additional Information						
Sodium dichromate 0-5%  Water 75-100%  5. Special Handling Instructions and Additional Information  In case of accident contact Chemtrec at 800-424-9		not			apors	
Sodium dichromate 0-5%  Water 75-100%  5. Special Handling Instructions and Additional Information  In case of accident contact Chemtrec at 800-424-9  wash into sewer or waterway If unable to deliver approximate. Our Emergency Response Guide # 60.		not			apors	
Sodium dichromate 0-5%  Water 75-100%  5. Special Handling Instructions and Additional Information  In case of accident contact Chemtrec at 800-424-9  wash into sewer or waterway. If unable to deliver approximate, our emergency Response Guide # ou.  6.  GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment and are classified, packed, marked, and labeled, and are in all respects in proper condition national government regulations.  If I am a large quantity generator, I certify that I have a program in place to reduce the voluto be economically practicable and that I have selected the practicable method of treatment present and future threat to human health and the environment; OR, if I am a small quantity generation and select the best waste management method that is available to me and that	are fully and ac n for transport I	not to ccurately by highway of was disposa	gener	above above to ap	apors Vol	r shipping name international and I have determined thich minimizes the imize my waste
Socium dichromate 0-5% Water 75-100%  5. Special Handling Instructions and Additional Information In case of accident contact Chemtrec at 800-424-9 wash into sewer or waterway. If unable to deliver approximate. Out Emergency Response Guide # ou.  6.  GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment and are classified, packed, marked, and labeled, and are in all respects in proper condition national government regulations.  If I am a large quantity generator, I certify that I have a program in place to reduce the voluto be economically practicable and that I have selected the practicable method of treatment present and future threat to human health and the environment; OR, if I am a small quantity generation and select the best waste management method that is available to me and that rinted/Typed Name  Signature	are fully and ac of for transport to time and toxicity of, storage, or or generator, I'h. I can afford.	not to ccurately by highway of was disposa	described yay according to generate I currently a de a good for	above above to ap	apors Vol	r shipping name international and I have determined thich minimizes the imize my waste
Sodium dichromate 0-5%  Water 75-100%  5. Special Handling Instructions and Additional Information  In case of accident contact Chemtrec at 800-424-9  wash into sewer or waterway. If unable to deliver approximate. Our Emergency Response Guide # ou.  6.  GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment and are classified, packed, marked, and labeled, and are in all respects in proper condition national government regulations.  If I am a large quantity generator, I certify that I have a program in place to reduce the volute to be economically practicable and that I have selected the practicable method of treatment present and future threat to human health and the environment; OR, if I am a small quantity generation and select the best waste management method that is available to me and that rinted/Typed Name  Signature  Signature	are fully and ac of for transport to time and toxicity of, storage, or or generator, I'h. I can afford.	not to ccurately by highway of was disposa ave made	described yay according to generate I currently a de a good for	above above to ap	apors Vol	r shipping name international and I have determined thich minimizes the imize my waste
Socium dichromate 0-5%  Water 75-100%.  5. Special Handling Instructions and Additional Information  In case of accident contact Chemtrec at 800-424-9  wash into sewer or waterway. If unable to deliver approximate. Our emergency Response Guide # 60.  6.  GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment a and are classified, packed, marked, and labeled, and are in all respects in proper condition national government regulations.  If I am a large quantity generator, I certify that I have a program in place to reduce the voluto be economically practicable and that I have selected the practicable method of treatment present and future threat to human health and the environment; OR, if I am a small quantity generation and select the best waste management method that is available to me and that rinted/Typed Name  Signature  Signature  Signature  Signature  Signature  Signature	are fully and ac of for transport to time and toxicity of, storage, or or generator, I'h. I can afford.	not to ccurately by highway of was disposa ave made	described yay according to generate I currently a de a good for	above above to ap	apors Vol	r shipping name international and  I have determined thich minimizes the limize my waste  Month Day  1 0 3 2 9
Sodium dichromate 0-5%  Water 75-100%  5. Special Handling Instructions and Additional Information  In case of accident contact Chemtrec at 800-424-9  wash into sewer or waterway If unable to deliver approximate, UCT Emergency Response Guide # ou.  6.  GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment and are classified, packed, marked, and labeled, and are in all respects in proper condition national government regulations.  If I am a large quantity generator, I certify that I have a program in place to reduce the volute be economically practicable and that I have selected the practicable method of treatment present and future threat to human health and the environment; OR, if I am a small quantity generation and select the best waste management method that is available to me and that rinted/Typed Name  Signature  Signature  Signature  Signature  Signature  Signature  Signature  Signature  Signature	are fully and ac of for transport to time and toxicity of, storage, or or generator, I'h. I can afford.	not to ccurately by highway of was disposa ave made	described yay according to generate I currently a de a good for	above above to ap	apors Vol	r shipping name international and  I have determined thich minimizes the imize my waste  Month Day  10329
Social Marter 75-100%  5. Special Handling Instructions and Additional Information  In case of accident contact Chemitrec at 800-424-9  wash into sewer or waterway If unable to deliver approximate. UOT Emergency Response Guide # ou.  6.  GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment and are classified, packed, marked, and labeled, and are in all respects in proper condition national government regulations.  If I am a large quantity generator, I certify that I have a program in place to reduce the volute to be economically practicable and that I have selected the practicable method of treatment present and future threat to human health and the environment; OR, if I am a small quantity generation and select the best waste management method that is available to me and that rinted/Typed Name  Signature	are fully and ac of for transport to time and toxicity of, storage, or or generator, I'h. I can afford.	not to ccurately by highway of was disposa ave made	described yay according to generate I currently a de a good for	above above to ap	apors Vol	r shipping name international and I have determined hich minimizes the imize my waste  Month Day  10329  Month Day  0329
Sodium dichromate 0-5%  Water 75-100%  5. Special Handling Instructions and Additional Information  In case of accident contact Chemtrec at 800-424-9  wash into sewer or waterway If unable to deliver approximate. Our Emergency Response Guide # ou.  6.  GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment and are classified, packed, marked, and labeled, and are in all respects in proper condition national government regulations.  If I am a large quantity generator, I certify that I have a program in place to reduce the volute be economically practicable and that I have selected the practicable method of treatment present and future threat to human health and the environment; OR, if I am a small quantity generation and select the best waste management method that is available to me and that wrinted/Typed Name  Signature	are fully and ac of for transport to time and toxicity of, storage, or or generator, I'h. I can afford.	not to ccurately by highway of was disposa ave made	described yay according to generate I currently a de a good for	above above to ap	apors Vol	r shipping name international and  I have determined thich minimizes the imize my waste  Month Day  103 2 9 4  Month Day  103 2 9 4
Social Handling Instructions and Additional Information  In case of accident contact Chemtrec at 800-424-9 wash into sewer or waterway. If unable to deliver approximate. Our emergency Response Guide # 600.  GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment and are classified, packed, marked, and labeled, and are in all respects in proper condition national government regulations.  If I am a large quantity generator, I certify that I have a program in place to reduce the volute be economically practicable and that I have selected the practicable method of treatment present and future threat to human health and the environment; OR, if I am a small quantity generation and select the best waste management method that is available to me and that writing the content of the conten	are fully and ac n for transport in me and toxicity nt, storage, or n generator, in I can afford.	not it to courately by highway of was disposa ave made	described vay according to generate I currently a de a good fr	above above ing to appear to the vallable with effects	apors Vol	r shipping name international and  I have determined thich minimizes the imize my waste  Month Day  Month Day  Month Day  Month Day
Sodium dichromate 0-5%  Water 75-100%  5. Special Handling Instructions and Additional Information  In case of accident contact Chemtrec at 800-424-9  wash into sewer or waterway If unable to deliver approximate. Our Emergency Response Guide # ou.  6.  GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment and are classified, packed, marked, and labeled, and are in all respects in proper condition national government regulations.  If I am a large quantity generator, I certify that I have a program in place to reduce the volute to be economically practicable and that I have selected the practicable method of treatment present and future threat to human health and the environment; OR, if I am a small quantity generation and select the best waste management method that is available to me and that with the contents of the contents of the contents of this consignment and future threat to human health and the environment; OR, if I am a small quantity generation and select the best waste management method that is available to me and that with the contents of the con	are fully and ac n for transport in me and toxicity nt, storage, or n generator, in I can afford.	not it to courately by highway of was disposa ave made	described vay according to generate I currently a de a good fr	above above ing to appear to the vallable with effects	apors Vol	r shipping name international and  I have determined thich minimizes the imize my waste  Month Day  103 2 9 4  Month Day  103 2 9 4

**DHS 80** 

8 9479378 NSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

AN EMERGENCY OR SPILL, CALL THE NATIONAL RE

CASE OF

EPA 8700—22 (Rev. 9-88) Previous editions are obsolete.



4133 Bandini Blvd. Los Angeles, California, 90023 (213) 268-3137 FAX (213) 268-6254

## WORK ORDER

EPA NO. **CAD 058018367** FED. TAX NO. **XR 95 - 2769288** WASTE HAULER NO. **139** 

SHIPPER MC					· ·	DATE	3-29-91
	· · · · · · · · · · · · · · · · · · ·	14.	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		•		NUMBER
BILLING ADDRESS _		:				RELI	EASE NO.
			<u>.</u>			CON	TACT
					·.	РНО	NE NO
OB ADDRESS					· ·	JOB	NO
	· · · · · · · · · · · · · · · · · · ·	<u> </u>			<del></del> ;	CON	TACT KIRK
TORR	ance, c	e1				+ 6	NE
						DEO	
RIGIN							TINATION
OMMODITY	To.	*				MAN	IFEST NO. 89479378
							To Pump acid
FROM Tank	<u> </u>	TRON	5 COR	7 1	to ch	EM	Tech Systems
FOR DISPOS							
FOR VIDEAS		a					
						1933	100
		ATE PRO	PERTY			- Unit	
IO LOADS	PRIV					DISPO	DSAL SITE CTS
0. LOADS	PRIV.	ER NO.	1-12		CAPAC	DISPO	OSAL SITE C73
O. LOADS	PRIV	ER NO.	T-12		CAPA(	DISPO	OSAL SITE C73
O LOADS	PRIV TRAIL	ER NO. Z	7 * 12	HRS	CAPAC	DISPO	S HOURS
O LOADS	PRIV	ER NO. 2 STOP START	ア*12 FINISH 321)	HRS	CAPA(	DISPO	S HOURSTRUCKING CHARGES
O. LOADS	PRIV	STOPSTART	FINISH 321)	HRS	CAPA(	DISPO	S HOURS  TRUCKING CHARGES  DISPOSAL FEE
O. LOADS UCK NO. 32 1 TART PERATION  [Ravel 1 Load	PRIV	STOPSTART	FINISH 321)	HRS	CAPA(	DISPO	S HOURSTRUCKING CHARGES
O. LOADS	PRIV	STOPSTART	FINISH 321)	HRS	CAPA(	DISPO	S HOURS  TRUCKING CHARGES  DISPOSAL FEE  WASH OUT  DISPOSAL CARRYING
O. LOADS	PRIV	STOPSTART	FINISH 321)	HRS	CAPA(	DISPO	S HOURS  TRUCKING CHARGES  DISPOSAL FEE  WASH OUT  DISPOSAL CARRYING CHARGE
O. LOADS	PRIV	STOPSTART	FINISH 321)	HRS	CAPA(	DISPO	TRUCKING CHARGES DISPOSAL FEE WASH OUT DISPOSAL CARRYING CHARGE SURCHARGE OTHER
O. LOADS	PRIV	STOPSTART	FINISH 321)	HRS	CAPA(	DISPO	TRUCKING CHARGES DISPOSAL FEE WASH OUT DISPOSAL CARRYING CHARGE SURCHARGE
O. LOADS	PRIV	STOPSTART	FINISH 321)	HRS	CAPA(	DISPO	S HOURS  TRUCKING CHARGES  DISPOSAL FEE  WASH OUT  DISPOSAL CARRYING CHARGE  SURCHARGE  OTHER  TOTAL CHARGES
O. LOADS	PRIV	STOPSTART	FINISH 321)	HRS	CAPA(	DISPO	TRUCKING CHARGES DISPOSAL FEE WASH OUT DISPOSAL CARRYING CHARGE SURCHARGE OTHER TOTAL CHARGES
OLOADS RUCK NO. 327 TART DEFRATION TROUBLE TO A CTS	PRIV	STOPSTART	FINISH 321)	HRS	CAPA(	DISPO	TRUCKING CHARGES DISPOSAL FEE WASH OUT DISPOSAL CARRYING CHARGE SURCHARGE OTHER  TOTAL CHARGES  DRIVER DRIVER
TO LOADS	PRIV	STOPSTART	FINISH 321)	HRS	CAPA(	DISPO	TRUCKING CHARGES DISPOSAL FEE WASH OUT DISPOSAL CARRYING CHARGE SURCHARGE OTHER TOTAL CHARGES

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Signature

Year Month Day

Day

Year

Month

DHS 8022 A (1/88) EPA 8700-22

CENTER

RESPONSE

CALL THE NATIONAL

SPILL

(Rev. 9-88) Previous editions are obsolete.

Do Not Write Below This Line

White: TSDF SENDS THIS COPY TO DOHS WITHIN 30 DAYS

To: P.O. Box 3000, Sacramento, CA 95812

B. Restricted Waste Treated to Performance Standards	
The USEPA hazardous waste number(s)	
The volt wast tons wasta limiter (8)	
Has/have been treated in compliance with applicable performance standards as defined in 40 CFR Part 268 Subpart D. I have attached all supporting analytical data. I certify under penalty of law that I have personally examined and am familiar with the treatment technology and the operation of the treatment process used to support this certification	: on
and that, based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section	
3004(d) without impermissible dilution of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine or imprisonment.	
보이 하게 되었다. 그는 사람이 사용되었다. 그런 사람들은 발생하는 경에 가장 되었다. 그는 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은	
C. Restricted Waste with Technology Based Treatment Standards	
I certify under penalty of law that the waste has been treated in accordance with the requirements of 40 CFR 268.42. I am aware that there are significant penalties for submitting a false certification including the possibility of fine and imprisonment. Treatment has been performed for USEPA hazardous waste	٠
number(s)	
D. Restricted Waste Subject to a Variance or Extension	
	•
The restricted waste(s) identified in (I) above is subject to a case-by-case extension a national capacity variance, or a treatability variance. This variance applies to USE hazardous waste number(s)	n, PA
The restricted waste(s) identified in (I) above is subject to a case-by-case extension a national capacity variance, or a treatability variance. This variance applies to USE hazardous waste number(s)	n, PA
The restricted waste(s) identified in (I) above is subject to a case-by-case extension a national capacity variance, or a treatability variance. This variance applies to USE	n, PA
The restricted waste(s) identified in (I) above is subject to a case-by-case extension a national capacity variance, or a treatability variance. This variance applies to USE hazardous waste number(s)  E. Restricted Waste can be Land Disposed Without Further Treatment  I am the initial generator of the following USEPA hazardous waste number(s)	PA
The restricted waste(s) identified in (I) above is subject to a case-by-case extension a national capacity variance, or a treatability variance. This variance applies to USE hazardous waste number(s)  E. Restricted Waste can be Land Disposed Without Further Treatment  I am the initial generator of the following USEPA hazardous waste number(s)  I have determined that the waste meets all applicable treatment standards as defined in 40 CFR Part 268 Subpart D, and all applicable prohibition levels set forth in 40 CFR	PA
The restricted waste(s) identified in (I) above is subject to a case-by-case extension a national capacity variance, or a treatability variance. This variance applies to USE hazardous waste number(s)  E. Restricted Waste can be Land Disposed Without Further Treatment  I am the initial generator of the following USEFA hazardous waste number(s)  I have determined that the waste meets all applicable treatment standards as defined in 40 CFR Part 268 Subpart D, and all applicable prohibition levels set forth in 40 CFR 268.32, RCRA Section 3004(d), and CCR Title 22, Chapter 30, Article 41, and therefore	PA
The restricted waste(s) identified in (I) above is subject to a case-by-case extension a national capacity variance, or a treatability variance. This variance applies to USE hazardous waste number(s)  E. Restricted Waste can be Land Disposed Without Further Treatment  I am the initial generator of the following USEFA hazardous waste number(s)  I have determined that the waste meets all applicable treatment standards as defined in 40 CFR Part 268 Subpart D, and all applicable prohibition levels set forth in 40 CFR 268.32, RCRA Section 3004(d), and CCR Title 22, Chapter 30, Article 41, and therefore can be land disposed without further treatment. A copy of all applicable treatment standards and specified treatment methods is maintained at Chem-Tech Systems, Inc. I	PA
The restricted waste(s) identified in (I) above is subject to a case-by-case extension a national capacity variance, or a treatability variance. This variance applies to USE hazardous waste number(s)  E. Restricted Waste can be Land Disposed Without Further Treatment  I am the initial generator of the following USEPA hazardous waste number(s)  I have determined that the waste meets all applicable treatment standards as defined in 40 CFR Part 268 Subpart D, and all applicable prohibition levels set forth in 40 CFR 268.32, RCRA Section 3004(d), and CCR Title 22, Chapter 30, Article 41, and therefore can be land disposed without further treatment. A copy of all applicable treatment standards and specified treatment methods is maintained at Chem-Tech Systems, Inc. I certify under penalty of law that I personally have examined and am familiar with the	PA
The restricted waste(s) identified in (I) above is subject to a case-by-case extension a national capacity variance, or a treatability variance. This variance applies to USE hazardous waste number(s)  E. Restricted Waste can be Land Disposed Without Further Treatment  I am the initial generator of the following USEPA hazardous waste number(s)  I have determined that the waste meets all applicable treatment standards as defined in 40 CFR Part 268 Subpart D, and all applicable prohibition levels set forth in 40 CFR 268.32, RCRA Section 3004(d), and CCR Title 22, Chapter 30, Article 41, and therefore can be land disposed without further treatment. A copy of all applicable treatment standards and specified treatment methods is maintained at Chem-Tech Systems, Inc. I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this	PA
The restricted waste(s) identified in (I) above is subject to a case-by-case extension a national capacity variance, or a treatability variance. This variance applies to USE hazardous waste number(s)  E. Restricted Waste can be Land Disposed Without Further Treatment  I am the initial generator of the following USEPA hazardous waste number(s)  I have determined that the waste meets all applicable treatment standards as defined in 40 CFR Part 268 Subpart D, and all applicable prohibition levels set forth in 40 CFR 268.32, RCRA Section 3004(d), and CCR Title 22, Chapter 30, Article 41, and therefore can be land disposed without further treatment. A copy of all applicable treatment standards and specified treatment methods is maintained at Chem-Tech Systems, Inc. I certify under penalty of law that I personally have examined and am familiar with the	1
The restricted waste(s) identified in (I) above is subject to a case-by-case extension a national capacity variance, or a treatability variance. This variance applies to USE hazardous waste number(s)  E. Restricted Waste can be Land Disposed Without Further Treatment  I am the initial generator of the following USEFA hazardous waste number(s)  I have determined that the waste meets all applicable treatment standards as defined in 40 CFR Part 268 Subpart D, and all applicable prohibition levels set forth in 40 CFR 268.32, RCRA Section 3004(d), and CCR Title 22, Chapter 30, Article 41, and therefore can be land disposed without further treatment. A copy of all applicable treatment standards and specified treatment methods is maintained at Chem-Tech Systems, Inc. I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete.	in a second
The restricted waste(s) identified in (I) above is subject to a case-by-case extension a national capacity variance, or a treatability variance. This variance applies to USE hazardous waste number(s)  E. Restricted Waste can be Land Disposed Without Further Treatment  I am the initial generator of the following USEFA hazardous waste number(s)  I have determined that the waste meets all applicable treatment standards as defined in 40 CFR Part 268 Subpart D, and all applicable prohibition levels set forth in 40 CFR 268.32, RCRA Section 3004(d), and CCR Title 22, Chapter 30, Article 41, and therefore can be land disposed without further treatment. A copy of all applicable treatment standards and specified treatment methods is maintained at Chem-Tech Systems, Inc. I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Sections.	in a second
The restricted waste(s) identified in (I) above is subject to a case-by-case extension anational capacity variance, or a treatability variance. This variance applies to USE hazardous waste number(s)  E. Restricted Waste can be Land Disposed Without Further Treatment  I am the initial generator of the following USEFA hazardous waste number(s)  I have determined that the waste meets all applicable treatment standards as defined in 40 CFR Part 268 Subpart D, and all applicable prohibition levels set forth in 40 CFR 268.32, RCRA Section 3004(d), and CCR Title 22, Chapter 30, Article 41, and therefore can be land disposed without further treatment. A copy of all applicable treatment standards and specified treatment methods is maintained at Chem-Tech Systems, Inc. I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. See aware that there are significant penalties for submitting a false certification, Ancluding the possibility of a fine and imprisonment.  I HEREBY CERTIFY THAT ALL INFORMATION SUBMITTED IN THIS AND ALL ASSOCIATED DOCUMENTS IS	n E
The restricted waste(s) identified in (I) above is subject to a case-by-case extension a national capacity variance, or a treatability variance. This variance applies to USS hazardous waste number(s)  E. Restricted Waste can be Land Disposed Without Further Treatment  I am the initial generator of the following USEPA hazardous waste number(s)  I have determined that the waste meets all applicable treatment standards as defined in 40 CFR Part 268 Subpart D, and all applicable prohibition levels set forth in 40 CFR 268.32, RCRA Section 3004(d), and CCR Title 22, Chapter 30, Article 41, and therefore can be land disposed without further treatment. A copy of all applicable treatment standards and specified treatment methods is maintained at Chem-Tech Systems, Inc. I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. See aware that there are significant penalties for submitting a false certification, Andluding the possibility of a fine and imprisonment.  **RERESY CERTIFY THAT ALL INFORMATION SUBMITTED IN THIS AND ALL ASSOCIATED DOCUMENTS IS CRESTED AND ACCURATE, TO THE BEST OF MY KNOWLEDGE AND INFORMATION.  **Mathematical Complete Submitted and INFORMATION.  **Mathematical Complete Submitted and INFORMATION.  **Mathematical Complete Submitted and INFORMATION.  **Mathematical Carlos Submitted and INFORMATION.	n E
The restricted waste(s) identified in (I) above is subject to a case-by-case extensic a national capacity variance, or a treatability variance. This variance applies to USE hazardous waste number(s)  E. Restricted Waste can be Land Disposed Without Further Treatment  I am the initial generator of the following USEFA hazardous waste number(s)  I have determined that the waste meets all applicable treatment standards as defined in 40 CFR Part 268 Subpart D, and all applicable prohibition levels set forth in 40 CFR 268.32, RCRA Section 3004(d), and CCR Title 22, Chapter 30, Article 41, and therefore can be land disposed without further treatment. A copy of all applicable treatment standards and specified treatment methods is maintained at Chem-Tech Systems, Inc. I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. See aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.  **THEREBY CERTIFY THAT ALL INFORMATION SUBMITTED IN THIS AND ALL ASSOCIATED DOCUMENTS IN CAMPLETE AND ACCURATE, TO THE REST OF MY KNOWLEDGE AND INFORMATION.  **HEREBY CERTIFY THAT ALL INFORMATION SUBMITTED IN THIS AND ALL ASSOCIATED DOCUMENTS IN CAMPLETE AND ACCURATE, TO THE REST OF MY KNOWLEDGE AND INFORMATION.  **HEREBY CERTIFY THAT ALL INFORMATION SUBMITTED IN THIS AND ALL ASSOCIATED DOCUMENTS IN CAMPLETE AND ACCURATE, TO THE REST OF MY KNOWLEDGE AND INFORMATION.  **HEREBY CERTIFY THAT ALL INFORMATION SUBMITTED IN THIS AND ALL ASSOCIATED DOCUMENTS IN CAMPLETED AND ACCURATE, TO THE REST OF MY KNOWLEDGE AND INFORMATION.  **A HEREBY CERTIFY THAT ALL INFORMATION SUBMITTED IN THIS AND ALL ASSOCIA	n E
The restricted waste(s) identified in (I) above is subject to a case-by-case extension a national capacity variance, or a treatability variance. This variance applies to USE hazardous waste number(s)  E. Restricted Waste can be Land Disposed Without Further Treatment  I am the initial generator of the following USEPA hazardous waste number(s)  I have determined that the waste meets all applicable treatment standards as defined in 40 CFR Part 268 Subpart D, and all applicable prohibition levels set forth in 40 CFR 268.32, RCRA Section 3004(d), and CCR Title 22, Chapter 30, Article 41, and therefore can be land disposed without further treatment. A copy of all applicable treatment standards and specified treatment methods is maintained at Chem-Tech Systems, Inc. I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. See aware that there are significant penalties for submitting a false certification, analysis and testing and imprisonment.  I HEREBY CERTIFY THAT ALL INFORMATION SUBMITTED IN THIS AND ALL ASSOCIATED DOCUMENTS INFORMATION AND ACCURATE, TO THE BEST OF MY KNOWLEDGE AND INFORMATION.  Application and Accurate, To THE BEST OF MY KNOWLEDGE AND INFORMATION.  C. D. + E. 222 - 91	n E

CTS\LDR(1)\7-90